BIOMETRIKA

A JOURNAL FOR THE STATISTICAL STUDY OF BIOLOGICAL PROBLEMS

FOUNDED BY

W. F. R. WELDON, FRANCIS GALTON AND KARL PEARSON

EDITED BY

KARL PEARSON

ASSISTED BY

EGON SHARPE PEARSON

VOLUME XX[A]

1928

ISSUED BY THE BIOMETRIC LABORATORY
UNIVERSITY COLLEGE, LONDON
AND PRINTED AT THE
UNIVERSITY PRESS, CAMBRIDGE

PRINTED IN GREAT BRITAIN

Science
Japan

CONTENTS OF VOLUME XX[A]

Memoirs

		PAGE
I.	On the Need for Standardisation in Measurements on the Living. By P. C. MAHALANOBIS, M.A. (Cantab.), Professor, Presidency College, Calcutta	1
II.	The Generalised Product Moment Distribution in Samples from a Normal Multivariate Population. By JOHN WISHART, M.A., D.Sc.	32
III.	Frequency Distribution of an Index when both components follow the Normal Law. By A. S. MERRILL. With three figures in the text	53
IV.	On the Examination of Final Digits by Experiments in Artificial Sampling. By C. P. SUN	64
V.	Similarities and Differences in the Species of the Mulberry Silk-Worm. By Professor A. V. ANOOCHIN, Moscow	69
VI.	Dextrality and Sinistrality of Hand and Eye. Second Memoir. By T. L. WOO, M.A. With fifteen diagrams in the text . . .	79
VII.	On a Method of Ascertaining Limits to the Actual Number of Marked Members in a Population of given size from a Sample. By KARL PEARSON. With two diagrams in the text and one on folding sheet	149
VIII.	On the Use and Interpretation of certain Test Criteria for Purposes of Statistical Inference. Part I. By J. NEYMAN, Ph.D., and E. S. PEARSON, D.Sc. With fourteen figures and diagrams in the text	175
IX.	Biometry and Chronology. By KARL PEARSON, with three diagrams in text, and Solution of a Problem, by CHARLES F. TRUSTAM .	241
X.	On the Use and Interpretation of certain Test Criteria for Purposes of Statistical Inference. Part II. By J. NEYMAN, Ph.D., and E. S. PEARSON, D.Sc. With six figures in the text . . .	263
XI.	The Contribution of Giovanni Plana to the Normal Bivariate Frequency Surface. By KARL PEARSON	295
XII.	The Relation of Weight to Stature, Bi-cristal Diameter and Age. By HORACE GRAY, M.D. With six figures in the text . .	299
XIII.	Appendix to Dr Gray's Paper: On the Correlation of two First Order Multiple Correlation Coefficients. By K. P. and E. M. E. .	310

PAGE

XIV. On Corrections for the Moment Coefficients of Frequency Distributions when there are Infinite Ordinates at one or both of the Terminals of the Range. By GERTRUDE E. PEARSE. With eight diagrams in the text 314

XV. The Distribution of Frequency Constants of Small Samples from Symmetrical Populations (*Preliminary Notice*). By EGON S. PEARSON, D.Sc., and N. K. ADYANTHĀYA, B.A. 356

XVI. On the Means of Samples from a *U*-shaped Population. By K. J. HOLZINGER, Ph.D., and A. E. R. CHURCH, M.A., D.Sc. With thirteen diagrams in the text and four on folding sheet . . 361

XVII. Discussion of Small Samples drawn from an Infinite Skew Population. By "SOPHISTER." With ten diagrams in the text . . 389

Miscellanea

(i) Note on the Paper by Dr J. Wishart (pp. 32—52 of this Volume). By J. WISHART, D.Sc. 424

(ii) Note on the Seven Kings of Rome (see pp. 252—262 of this Volume). By CHARLES F. TRUSTAM 424

(iii) Review of Dr J. F. Steffensen's *Interpolation*. By W. P. E. . . 425

Plate

"Biometrika" Portrait Series, No. V. Dr RICHARD PRICE, 1723—1791. *Theologian, Statistician, Actuary, and Political* Writer. From the Painting in the Apartments of the Royal Society . . . . . *to face page* 241

Diagram on Folding Sheet to illustrate Distribution of Frequency of possible sampled Populations, when a sample is known . . . . . „ „ 157

Four Diagrams on Folding Sheet (Figs. 1, 2, 3 (*a*) and 3 (*b*)) to illustrate the Distribution of Means of Samples from a *U*-shaped Population . . . . . „ „ 363

Corrigendum

Mr J. O. Irwin wishes to make the following correction in Lines 3—5 of his memoir on the "Distribution of Means in Samples," *Biometrika*, Vol. XIX, p. 238. For what now stands there read:

"and the frequency distribution is made up of four cubic curves with points of 'abruptness' at the vertex and at the points $x = 0{\cdot}25$ and $x = -0{\cdot}25$; the third differential coefficients being discontinuous at these points."